

LDV is a division of SAIC, which is a Fortune Global 500 company and the 36th largest company in the world¹. SAIC sold over 6 million vehicles in 2019 and has formed joint ventures with Volkswagen and General Motors. In 2009 SAIC acquired the commercial vehicles division of British Motor Corporation which included LDV.



LDV D90 SUV		PETROL	UTIVE	DIESEL EXECUTIVE	LDV D90 SUV
MODEL	2WD	2WD	4WD	4WD	MODEL
Engine					Approach angle (unla degrees)
Туре		2.0L Turk	oocharged		Departure angle
Maxumum Power (kW/rpm)		165/5300		160	(unladen, degrees)
Maximum Torque					Wading depth (mm)
(Nm/rpm)	3!	50/2500-350	00	480	Ramp breakover angl (degrees)
Displacement (cc)		1995		1996	Front headroom (mm
Compression Ratio		10:1		15:9:1	Front legroom (mm)
No. of Valves		16 4		16	Front shoulder room
No. of Cylinders Bore x stroke (mm)		88 x 82		83 x 92	(mm)
Drivetrain		00 X 02	4WD with	4WD with	2nd row headroom (r
	RWD	RWD	Terrain Selection	Terrain Selection	2nd row legroom (mr 2nd row shoulder roo (mm)
Gearbox	6	5-speed Aut	0	8-speed Auto	3rd row seat, shoulde room (mm)
1st	4.065	4.065	4.065	5.0	3rd row seat, leg roor
2nd	2.371	2.371	2.371	3.2	(mm)
3rd	1.551	1.551	1.551	2.143	3rd row seat, head ro (mm)
4th	1.157	1.157	1.157	1.720	Seats, number
5th	0.853	0.853	0.853	1.314	Load Space Volume
6th 	0.674	0.674	0.674	0.822	2nd and 3rd row seat
8th	_		_	0.622	3rd row seats folded,
Reverse	3.2	3.2	3.2	3.456	second row up
Low Range	-		2.48:1	2.48:1	2nd and 3rd row seat folded
Steering column – Height adjustable Steering column –	1	-	-	-	3rd row, 3rd row seats folded, 2nd & 3rd row seats folded
Height and Reach adjustable	-	✓ 	✓	✓	Cargo area height (mi Cargo area width between wheel arche
Selectable Driving Modes - Normal, Sport and Eco Selectable Driving Modes	1	√	/	✓	(mm) Rear hatch opening
- Rock, Mud, Sand and Snow	-	-	✓	1	height (mm) Rear hatch opening w
Front Suspension – Double-wishbone	1	√	1	✓	(mm) Gross Combined Vehi
Rear Suspension – Five Link Coil Spring	1	✓	1	✓	Mass (kg)
Wheel Dimensions	Light Alloy	Lis	ght Alloy 7.5J	k19	GVM (kg)
Tura Dimansians	7.5Jx18				Payload (kg) ³
Tyre Dimensions Spare Wheel and Tyre	255/60R18	255/60R18 255/55R19 Steel 7Jx17 245/65R17			Tare Weight (kg) Axle Load Capacity – Rear (kg)
Fuel and Emissions					Axle (front)
Fuel Tank (Litres)		-	75		Towing Capacity –
Combined Fuel Consumption (L/100km) ²	10.2	10.2	10.9	9.1	Braked (kg) Towing Capacity – Unbraked (kg)
Emissions standard CO ₂ Emissions g/km	238	238	ro 5 255	238	
					Safety, Security a
Dimensions, Capacitie	1		5005	5005	8 Inch Multifunction Instrument Display
Overall Leight (mm)	5005	5005	5005	5005	Digital Instrument Clu
Overall Width (mm)	1875 1932	1875 1932	1875 1932	1875	Smart Key
Overall Width (mm) Wheelbase (mm)	2950	2950	2950	1932 2950	Airbags (6) – Driver ar
Ground clearance					front passenger airba (2), sidebags (2), full
(unladen) (mm)	210	210	210	210	length curtainbags (2) Child Seat anchoring
	1600/1620			ISOFIX + Top Tether	
Front track/Rear track					
Front track/Rear track (mm)	935	935	935	935	(3 in second row)
Front track/Rear track (mm) Front Overhang (mm) Rear Overhang (mm) Turning Circle (kerb to	935 1120	935 1120	935 1120	935 1120	

	PETROL DIESEL				
LDV D90 SUV MODEL	2WD		JTIVE 4WD	EXECUTIVE 4WD	
Approach angle (unladen, degrees)	28	28	28	28	
Departure angle (unladen, degrees)	25	25	25	25	
Wading depth (mm)	550	550	550	550	
Ramp breakover angle (degrees)	20	20	20	20	
Front headroom (mm)	1022	1015	1015	1015	
Front legroom (mm)	1053	1053	1053	1053	
Front shoulder room (mm)	1523	1523	1523	1523	
2nd row headroom (mm)	1002	1002	1002	1002	
2nd row legroom (mm)	1003	1003	1003	1003	
2nd row shoulder room (mm)	1532	1532	1532	1532	
3rd row seat, shoulder room (mm)	1423	1423	1423	1423	
3rd row seat, leg room (mm)	767	767	767	767	
3rd row seat, head room (mm)	955	955	955	955	
Seats, number	7	7	7	7	
Load Space Volume (litres	;)				
2nd and 3rd row seats up	343	343	343	343	
3rd row seats folded, second row up	1350	1350	1350	1350	
2nd and 3rd row seats folded	2382	2382	2382	2382	
Cargo area length (mm) – 3rd row, 3rd row seats folded, 2nd & 3rd row seats folded	412/1140/1800				
Cargo area height (mm)	833	833	833	833	
Cargo area width between wheel arches (mm)	1248	1248	1248	1248	
Rear hatch opening height (mm)	1889	1889	1889	1889	
Rear hatch opening width (mm)	1268	1268	1268	1268	
Gross Combined Vehicle Mass (kg)	4800	4900	4960	6200	
GVM (kg)	2800	2900	2960	3100	
Payload (kg) ³	670	690	630	730	
Tare Weight (kg)	2130	2210	2330	2370	
Axle Load Capacity – Rear (kg)	1070	1110	1150	1150	
Axle (front)	1060	1060	1180	1180	
Towing Capacity – Braked (kg)	2000	2000	2000	3100	
Towing Capacity – Unbraked (kg)	750	750	750	750	
Safety, Security and D	river Assis	stance			
8 Inch Multifunction Instrument Display	-	1	1	1	
Digital Instrument Cluster	1	-	-	_	
Smart Key	1	1	1	/	
Airbags (6) – Driver and front passenger airbags (2), sidebags (2), full length curtainbags (2)	1	1	✓	1	
Child Seat anchoring – ISOFIX + Top Tether (3 in second row)	1	1	1	/	
Daytime running lights – LED	1	1	1	1	
Anti-lock Braking System (ABS)	1	1	1	✓	

LDV D90 SUV	PETROL DIESEL				
MODEL	2WD	EXECUTIVE 2WD 4WD		EXECUTIVE 4WD	
Autonomous Emergency Braking (AEB)	✓	1	1	1	
Electronic Brake-force Distribution (EBD)	1	1	1	1	
Electronic Stability Program (ESP)	1	1	1	1	
Electronic Brake Assist (EBA)	1	1	1	1	
Front Collision Warning (FCW) ⁴	✓	1	1	1	
Hill Descent Control (HDC)	✓	1	1	1	
Hill-start Assist System (HAS)	✓	1	1	1	
Blind Spot Monitor ⁴	√	1	1	1	
Fatigue Reminder and Attention Assist ⁴	√	/	1	/	
Lane Departure Warning (LDW) ⁴	✓	1	1	1	
Roll Movement Intervention (RMI)	1	1	1	/	
Traction Control System (TCS)	√	1	1	1	
Traffic Sign Recognition (TSR) ⁴	/	1	1	/	
Vehicle Dynamics Control (VDC)	√	1	1	1	
Electric Parking Brake	✓	1	1	1	
Electronic Differential Lock (EDL)	-	-	1	-	
Engine Immobiliser	✓	/	1	/	
Engine Start/Stop System	✓	1	1	1	
Fog lamps – Front and Rear	1	1	1	1	
Keyless Entry and Start	✓	1	1	1	
Parking sensors – Front and Rear	✓	1	1	1	
Reversing Camera	✓	1	1	1	
Tyre Pressure Display and Monitoring System (TPMS)	/	1	/	1	
Paddle Shifts for Gears	_	-	_	/	
Exterior					
Door Mirrors – Electronically folding	√	1	1	1	
Door Mirrors – Heated	√	1	1	/	
LED Headlights	√	1	1	/	
Luggage Rails ⁶	√	/	1	1	
Puddle Door Lights	-	1	1	1	
Rain Sensing Windscreen Wipers	1	1	1	1	
Side steps	✓	1	1	1	
Sunroof	-	1	1	1	
Comfort and Convenie	nce				
12V Power outlet, Max 120W (Three sockets)	/	1	1	1	
220V Power outlet, Max 150W (One socket)	√	1	1	/	
Adaptive Cruise Control	✓	1	1	1	
Air Conditioning – Multi Zone Climate Control	-	1	1	1	
Air Conditioning – Manual Dual Zone	√	-	-	-	
Ambient Lighting	-	1	1	1	
Luggage Storage Box	✓	1	1		
Multifunction steering					

LDV DOO CHV		DIESEL		
LDV D90 SUV MODEL	2WD	EXEC 2WD	UTIVE 4WD	EXECUTIV 4WD
Multifunction steering wheel – Leather ⁵	-	1	1	1
Rear View Mirror – Manual Dimming	✓	1	1	1
Tailgate – Manual	1	-	-	-
Tailgate – Electric Easy Open/Close	-	1	1	1
Heated Steering Wheel	-	-	-	1
Seating				
7 Seats	1	1	1	1
Cup Holders – First and Second Row	1	1	1	1
Driver's Seat – 6 way Manual Adjustment	✓	-	-	-
Driver's Seat – 8 way Electronic Adjustment, 4 way Lumbar Support Adjustment	-	1	1	1
Front Passenger Seat – 4 way Manual Adjustment	✓	1	1	/
Artificial Leather with Cloth inserts on all rows	✓	_	_	_
Seat Material – Leather Trim First and Second Rows, Artificial Leather Third Row ⁵	-	1	1	1
Audio and Communica	tion			
6 Speakers	√	_	_	_
8 Speakers	-	1	1	1
12 Inch Touch Screen Entertainment System	✓	1	1	1
Radio, Bluetooth and MP5	1	1	1	1
Apple CarPlay [®] / Smartphone Connectivity	✓	1	1	1
USB Ports (3 – Centre console, centre armrest and left rear side armrest)	1	1	1	1
Warranty ⁷				
5 year/130,000km (whichever occurs first) Warranty	✓	1	1	1
5 year/130,000km (whichever occurs first) Roadside Assist	✓	1	1	1

- Fuel consumption figures according to ADR 81/02 derived from laboratory testing. Factors including but not limited to driving style, road and traffic conditions, environmental influences, vehicle condition and accessories fitted, will in practice in the real world lead to figures which generally differ from those advertised. Advertised figures are meant for comparison amongst vehicles only.
- 3. Payload and tare weight figures are based on vehicle certification. It is the driver's responsibility to ensure: weight of fully loaded vehicles do not exceed GVM; front and rear axle load limits are not individually exceeded; the combined weight of the fully loaded vehicle (including tow ball download when towing) and trailer does not exceed the GCM; compliance to State and Territory towing regulations. Payload is the combined value of occupants, luggage, cargo, added options, accessories and tow ball download (when towing). Tare weight includes the vehicle with 10 litres of fuel and all standard equipment excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload and tare weight. When a genuine tow bar with wiring is fitted, and trailer is attached, parking sensors will be disabled.
- 4. Safety technologies may not operate optimally under all driving conditions and effectiveness depends on many factors. Driver is responsible for safe and attentive driving. See owner's manual for complete details.
- $5. \ \ Leather \ accented \ features \ and \ upholstery \ contain \ some \ synthetic \ materials.$
- 6. Maximum of 75kg weight.
- 7. Subject to terms and conditions on Idvautomotive.com.au

All information in this document is correct at time of publication however variations may occur from time to time and Ateco Automotive Pty Ltd insofar as is permitted by law to do so, shall not be liable in any way as a result of any reliance by any person on anything contained in this document.





