DELIVERG Netzekender

÷



-

-

0

WORKING HARDER EVERY DAY

1

100



Re-designed, re-imagined and re-engineered, the all-new Deliver 9 van is designed to carry larger loads, while you travel in complete safety and comfort.

Deliver 9 gives you the best dollar per cubic meter cargo capacity of any van in the New Zealand marketplace.





ACCESS



EASY TO LOAD

The Deliver 9 is a large van built to make carrying loads easy. Its wide opening single side-sliding door make loading safer and faster while the rear barn doors open to 180° for loading with a forklift or at a dock.

Deliver 9 also has the added benefit of a low floor clearance with built in rear step delivering increased load capacity as well as easier loading.



SPACE



PLENTY OF ROOM

The large load area of the Deliver 9 van offers a substantial 9.66m³ of volume in the BIG model, which extends to a massive 10.97m³ and 12.33m³ on the BIGGER and BIGGEST respectively. Two standard pallets can be carried in the load area of the BIG, with three in the BIGGER and BIGGEST courtesy of the 1,380mm width between the wheel arches.

The LDV doesn't ease off when it comes to payload with up to 1,500kg* in the BIG (Auto), 1,640kg* in the BIGGER (Auto) and 1,620kg* in the BIGGEST (Auto). There's also the added benefit of 8 recessed load tie down points and a cargo mat.





INTERIOR DIMENSIONS



BIG

Cargo Area (in mm): 3019(L) x 1800(W) x 1792(H)

Cargo Volume of 9.66m³

BIGGER

Cargo Area (in mm): 3413(L) x 1800(W) x 1792(H)

Cargo Volume of 10.97m³



PERFORMANCE

POWERFUL DIESEL ENGINE

The Deliver 9 runs on an advanced, economical 2.0-litre turbo-diesel engine.

The Bosch electronically controlled, common rail, direct fuel injected, intercooled engine supplies 110Kw @ 3500rpm and 375Nm of torque. The engine is mounted longitudinally on the frame and provides the vehicle's rear wheel drive. The engine employs a common rail fuel injection system for improved combustion efficiency, as well as low fuel consumption and low emissions.





BIGGEST

Cargo Area (in mm): 3413(L) x 1800(W) x 2014(H)

Cargo Volume of 12.33m³

FEATURES

All LDV Vans come with remote central locking. One button unlocking all doors, another only the rear barn doors.



COMFORT AND EFFICIENCY

The Deliver 9 offers eight adjustable driver seat options ranging from standard to comfort, with added lumbar support and armrest. Seating covers are built for comfort and durability and come in knit/grey heavy duty, hard-wearing fabric.

And when it comes to visibility, LDV's front fog and daytime running lights ensure you are seen in any light.


SAFETY AND SECURITY

Occupant safety is paramount in the Deliver 9 with six air-bags as standard, side & window curtain airbags in addition to driver and passenger front airbags.

Reverse parking sensors are standard fitment on Delivery 9. The high mounted reversing camera with on screen guidelines in addition to front and rear parking sensors in-crease visibility and ensure safer parking.







Multi-Function Steering Wheel

FEATURES

ALL THE MOD CONS

Both the DELIVER 9 offer a pure driving experience that any van driver will appreciate. Professional drivers have busy and often long days, and this is why the DELIVER 9 cabin area offers all the comfort and practicality of a mobile office space.

Packed with cutting-edge technology and practical features, you'll have everything you need and all operated at the touch of a button on a 10 inch touch screen with Apple CarPlay[™]. In addition to radio and navigation functions, the high spec includes USB ports for both the driver and passenger, so you can always remain connected whether by laptop or by simply hooking up your smartphone to the system. A ready-to-go mobile office space. Use mirror link to access all your apps and emails.





BIG

There's a short wheel base for when you don't need additional load capacity, but with a cargo volume of 9.66m³ it's certainly capable of meeting most needs.

Cargo Area (in mm): 3019(L) x 1800(W) x 1792(H)

BIGGER

If you need additional length there is the long wheel base mid roof van holding 10.97m³.

Cargo Area (in mm): 3413(L) x 1800(W) x 1792(H)





BIGGEST

And if you need to maximise height the long wheel base is also available in a high roof model, which takes the cargo volume up to 12.33m³.

Cargo Area (in mm): 3413(L) x 1800(W) x 2014(H)



2.4. Are decise acgine with: Are conditioning (from) V V With ham 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66 24.66	SPECIFICATIONS (Big, Bigger and Biggest)		SPECIFICATIONS	BIG SWB (Mid Roof)	BIGGER LWB (Mid Roof)	BIGGEST LWB (High Roof)	DIMENSIONS	BIG SWB (Mid Roof)	BIGGER LWB (Mid Roof)	BIGGEST LWB (High Roof)		
escale distributionally controlled common rull direct fuel injection system Adaptive Curse Control Variable Curses Participation Par	ENGINE			INTERIOR FEATURES				Length (mm)	5546	5940	5940	
Charlow charges and intercoder Charlow fields Charlow fields Press Pr	2.0L turbo diesel engine with:			Air conditioning (front)	~	~	~	Width (mm)	2466	2466	2466	
bit grap Stage/Start System Start And Chains Control V V V Weet asso (m) 33.66 37.00 37.00 bit band Anderson Mode Numminum optime head Numminum optime head Numminum optime head 11 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 14.2 </td <td colspan="3"></td> <td rowspan="2">(Auto Models) Standard Cruise Control</td> <td rowspan="2">~</td> <td rowspan="2">~</td> <td rowspan="2">~</td> <td>Height (mm)</td> <td>2555</td> <td>2535</td> <td>2755</td>				(Auto Models) Standard Cruise Control	~	~	~	Height (mm)	2555	2535	2755	
Power Mode Power Modes (from //) V V V Turning circle col 13 14.2 14.2 Aumminum (Minder hand Aumminum (Minder hand 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078 3078	5							Wheel base (mm)	3366	3760	3760	
Automics (yind): hasge (yin					~	~	~	Turning circle (m)	13	14.2	14.2	
i Night rest Richt glisting Nill Tuck Streine Entsträllingen v v V Grag or zeit king intolling 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800				Multi-function Steering Wheel	~	v	v		2010	2/12	2/12	
is explored: Bluetoch V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V	 Polymer skirted pistons 				~	~	~					
8 y 200m (hore x stroke) 8 way alpotable driver's seat v Cargo area heady (no.) 1/32 3/36 9 1966 cold alponement 10 way alpotable driver's seat v V Was alpotable Was alpotable Was alpotable Was alpotalpotable	o				~	~	~	.				
n 1004W @ 3500 rpm Data brich seat with I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I												
1 Index if statu 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					~	~	~	Wheel arch width (mm)	1366	1366	1366	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1								Rear door opening width (mm)	1570	1570	1570	
Function Overhead Storage Compartments V V V V Side door opening width (m) 1289 1289 1289 G-spoed manual G-spoed automatic Side door opening height (m) 1570 1570 1570 1570 G-spoed manual G-spoed automatic EXEETNAL FEATURES V V V Gross vehicle mass (up) 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 <t< td=""><td colspan="3"></td><td></td><td></td><td></td><td></td><td>Rear door opening height (mm)</td><td>1656</td><td>1656</td><td>1656</td></t<>								Rear door opening height (mm)	1656	1656	1656	
TRANSMISSION 3 year/10000/km * Wirnshty √ √ √ √ Side door opening height (Euro V emission						•	Side door opening width (mm)	1269	1269	1269	
Ge-speed manual Ge-speed automatic Carcon Assist Carcon Assist Gross vehicle mass c _w) 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 3500 35	TRANSMISSION			3 year/160,000km* Warranty	~	~	~	Side door opening height (mm)	1570	1570	1570	
FUEL TANK Power and Electric heated side mirrors with trun signals V V Font adle capacity (up) Auto: 1800 Auto: 200 Manual: 780 M	6-speed manual 6-speed automatic			-	-	-	Gross vehicle mass (kg)	3500	3500	3500		
B0 litres mirrors with turn signals V V V Vote table departs (we) Nature (we) Marule 1780 Marule 1780 <th< td=""><td colspan="3">FUEL TANK</td><td></td><td></td><td>Front culo conceitura o</td><td>Auto 1000</td><td>Auto: 1800</td><td>Auto: 1800</td></th<>	FUEL TANK					Front culo conceitura o	Auto 1000	Auto: 1800	Auto: 1800			
FUEL CONSUMPTION (Combined L/100km as per ADR 81/02) dod" with rear barn door opening v v v Rear axie capacity (c_0) Auto: 220 Manual: 220 M	80 litres			mirrors with turn signals	~	~	~	Front axie capacity (kg)	AULO: 1080		Manual: 1790	
STEERING AND HANDLING Integrated Rear Stop V V V Payload (%g)** Auto: 1500 Manual: 1670	FUEL CONSUMPTION (Combined L/100km as per ADR 81/02)		door with rear barn door opening	~	~	~	Rear axle capacity (kg)	Auto: 2120		Auto: 2200 Manual: 2210		
STEERING AND HANDLING Integrated Rear Step V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V <	9.5 (Manual) 9.5 (Automatic)		Fog lamps front and rear	~	~	~	Payload (kg)**	Auto: 1500		Auto: 1620 Manual: 1640		
Hydraulic power assisted rack and pinion steering CRECO AREA Image: Comparison of the compariso	STEERING AND HANDLING		Integrated Rear Step	~	~	 ✓ 						
Macher son struts (front) V Non slip entry steps V V V Unbraked towing capacity (vg) 750 750 750 Taper leaf springs with gas filled shock absorbers (rear) V Paint column V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V <td< td=""><td colspan="2">Hydraulic power assisted rack and pinion steering</td><td>CARGO AREA</td><td></td><td></td><td></td><td>Tare weight (kg)</td><td>Auto: 2240</td><td></td><td>Manual: 2300</td></td<>	Hydraulic power assisted rack and pinion steering		CARGO AREA				Tare weight (kg)	Auto: 2240		Manual: 2300		
Machine Soft stride (1011) Processed tie down points (8) V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V	COTECH suspension and steering tuning		~	Low cargo floor height	~	~	~	Braked towing capacity (kg)	2800	2800	2800	
Taper leaf springs with gas filled shock absorbers (rear) V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V PAINT CoLours SafeTY FEATURES V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V	Macpherson struts (front)		~	Non slip entry steps	~	~	 ✓ 	Unbraked towing capacity (kg)	750	750	750	
16" steel whels with full size spare V LED Rear Cargo Area Lighting V V V 235/65R16C tyres V SAFETY FEATURES V V V V BRAKES Hill Hold Assist (HHA) V V V V V Ventilated front disc brakes, 308mm with twin piston caliper V Autonomous Emergency Braking V V V V Solid rear disc brakes, 304mm with single piston caliper, rear disc middle drum handbrake V Auto-skid Braking System (ABS) V V V V Anti-skid Braking System (ABS) V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V V	Taper leaf springs with gas filled shock absorbers (rear)						Cargo volume (cubic metres)	9.66	10.97	12.33		
Z35/65R16C tyres LED Rear Cargo Area Lighting V V V PAINT COLOURS BRAKES SAFETY FEATURES						-						
SAFETY FEATURES SAFETY FEATURES BRAKES Hill Hold Assist (HHA) Image: Comparison of the participation of the p			LED Rear Cargo Area Lighting	~	~	~	PAINT COLOURS					
Ventilated front disc brakes, 308mm with twin piston caliper, rear disc middle drum handbrake			SAFETY FEATURES									
Solid rear disc brakes, 304mm with single piston caliper, rear disc middle drum handbrake Anti-skid Braking System (ABS) Image: Control (ESC)	BRAKES		Hill Hold Assist (HHA)	~	~	~	Stored					
Solid rear disc brakes, 304mm with single piston caliper, rear disc middle drum handbrake Image: Anti-skid Braking System (ABS) Image: Anti-skid Braking System (BAS) Im	Ventilated front disc brakes, 308mm with twin piston caliper		• • •									
rear disc middle drum handbrake Electronic Stability Control (ESC) V V V Anti-skid Braking System (ABS) ✓ Brake Assist System (BAS) ✓ ✓ ✓ Electronic brake force distribution (EBD) ✓ Driver and passenger airbags ✓ ✓ ✓ ✓ Brake assist system (BAS) ✓ ✓ ✓ ✓ ✓ ✓ ✓ Uriver and passenger side airbags ✓ ✓ ✓ ✓ ✓ ✓ ✓ Double Curtain Airbag ✓ ✓ ✓ ✓ ✓ ✓ ✓ Wide Angle Reverse Camera ✓ ✓ ✓ ✓ ✓ ✓ ✓ Reverse parking sensors (four) ✓ ✓ ✓ ✓ ✓ ✓ ✓	rear disc middle drum handbrake		• /			V	white - Standard Colour					
And stading dystem (ABD) Image: Constraint of the seminal part of the seminal pa			,		V	V						
Electronic brake force distribution (EBD) Image: Constraint of the seminal c			,		V	V						
Brake assist system (BAS) Double Curtain Airbag Image: Curtai	Electronic brake force distribution	Electronic brake force distribution (EBD)			V	V	V	Black, Blue, NZ Post Red, Silver, Grey available on indent order only and additional cost.				
Wide Angle Reverse CameraImage: Camera <td>Brake assist system (BAS)</td> <td></td> <td>~</td> <td></td> <td></td> <td></td> <td></td> <td colspan="5"></td>	Brake assist system (BAS)		~									
Reverse parking sensors (four) V V from the payload to determine load carrying capacity. Front and rear axle loads				•	V	~	V					
				•								
Remote central locking V V V must not be exceeded.								must not be exceeded.				

V V V

Halogen Headlights

DELIVER 9 ABOUT LDV

LDV (formerly known as Leyland-DAF Vehicles) is now part of the Chinese state owned SAIC Motor Group. SAIC Motor is the largest automaker in China and one of the largest vehicle manufactures in the world, having partnerships with several Western brands including General Motors, Volkswagen and Iveco. With US\$128.8 billion in revenue, SAIC climbed to number 36 on the Global Fortune 500 list of companies in 2018. Aside from producing components like engines, gearboxes, and powertrains, the company also covers the research, production and vehicle sales of both passenger and commercial vehicles. LDV is represented in New Zealand by Great Lake Motor Distributors Ltd, a 100% Kiwi owned company which also distributes the Korean marque SsangYong.

Through a spirit of independent innovation and focus on consumer and environmental demands, the SAIC Group is now Forbes magazine's 10th most powerful automotive company in the world.

LDV

LDV is one of Europe's most recognised commercial vehicle brands. Not only has LDV had sales success as a cargo and passenger van, it has been selected by the British government for use by the Royal Bank, Royal Mail and as travel vehicles for the British Royal family. It is also the recipient of numerous international awards.



FINANCE OPTIONS

LDV Finance provides financial solutions designed to provide flexibility, ease and peace of mind. So from the start of your journey with us, you'll remain firmly and comfortably in the driver's seat of the financial arrangement you choose for your new vehicle.

For the complete range of vehicle finance solutions visit your nearest LDV dealer.

WARRANTY

The LDV gets a big tick for peace of mind with the reassurance of a comprehensive factory backed 3 year/160,000km* warranty.

ACCESSORIES

There is a full range of accessories available for the LDV. For more information, ask your nearest LDV Dealer or go to **Idv.co.nz**

REPUTATION

LDV is one of Europe's most recognised commercial vehicle brands. Not only has LDV had sales success as a cargo and passenger van, it has also been selected by some of Europe's most respected fleets and is the recipient of numerous awards.

LDV is now a division of SAIC, a Fortune Global 500 company, which sold over 5 million vehicles in 2014 making it the largest automotive manufacturer in China.

LDV DEALERS

LDV owners have the backing of our nationwide dealer network, which provides comprehensive sales, service and parts back up wherever you may be. To find your nearest LDV dealer just go to **Idv.co.nz**

ROADSIDE ASSISTANCE

All LDV V80s come with LDV Roadside Assist. In the event that your vehicle is immobilised, you can rest assured that LDV Roadside Assist will help you to continue your journey with the minimum of inconvenience.

LDV Roadside Assist supports you and your vehicle for the period of your manufacturer's warranty, 24 hours a day, 7 days a week, 365 days a year.



Get in touch with your LDV & SsangYong Dealer. 0800 LDV VANS | ldv.co.nz

All information in this document is correct at time of publication however variations may occur from time to time and Great Lake Motor Distributors Limited insofar as is permitted by law to do so, shall not be liable in any way as a result of any reliance by any person on anything contained in this document.